

## CAREAWARE CONNECT – MEDICATION MINISTRATION

Select the hyperlink:

[Working with Medication Administration](#)

[Reviewing and Scanning Medication](#)

[Discern Notification](#)

[Nurse Witness](#)

[Filtered Medication](#)

[Marking Medication Not Given](#)

[Continuous Infusion 'Begin Bag'](#)

[Signing out](#)









Enables medication administration at the bedside with the use of barcode medication scanning.



### Working with Medication Administration






#### 1. In The Nursing App:

- 1) From the patient record, click on the nursing sandwich icon.
- 2) Tap on **Medication Administration**




<p>2. The Medication list will now show. Medications will always be in the sequence of <b>Unscheduled</b> &gt; <b>Scheduled</b> &gt; <b>PRN</b> &gt; <b>Continuous</b>.</p> <p> <i>Discontinued medication will also be labelled.</i></p>	
<p>3. The <b>default view</b> is 2 hours, this can be changed if required to 4, 12 or 24 hours.</p> <ol style="list-style-type: none"> <li>1) Click on the drop down next to <b>View</b></li> <li>2) <b>Select</b> the <b>preferred</b> time frame</li> <li>3) The view should update accordingly.</li> </ol>	
<h2>Reviewing and Scanning Medication</h2>	
<p>1. 1) <b>Scan</b> the medication, (scan button on the side of the device). 2) Click on the <b>Next</b> to continue.</p> <p> <i>You can tap on the arrow on the medication name to expand and see order information.</i></p>	

<p>2.</p> <ol style="list-style-type: none"> <li>1) The <b>Pharmacy verification</b> will display.</li> <li>Read through this thoroughly in case of error.</li> <li>2) Tap the <b>Continue</b> button at the bottom of the screen to acknowledge and proceed.</li> </ol>	
<p>3.</p> <p><i>There is a little Prompt to remind you to Scan the patient</i></p> <ol style="list-style-type: none"> <li>1) <b>Scan Patient</b></li> <li>2) <b>Select Sign</b></li> </ol>	
<h3>Discern Notification</h3>	
<p>1.</p> <p>CareAware will notify the user of any <b>Alerts</b> regarding the patient.</p> <p>Example: Before I issue paracetamol, I receive the Paracetamol Alert due to the dosage of the drug.</p>	

Nurse Witness	
<p>1. <i>Meds requiring a witness will display red text indicating <b>Witness Required</b>.</i></p> <ol style="list-style-type: none"> <li>1) The box will be ticked indicating a witness is required for that medication.</li> <li>2) Click <b>Continue</b></li> <li>3) Scan the Patient</li> <li>4) Select 3 dots (ellipsis)</li> <li>5) Select <b>Witness</b></li> <li>6) Select <b>Next</b></li> </ol> <p> <i>Multiple meds can be witnessed simultaneously.</i></p> <p> <i>Nurse Witness may be provided on ANY medication by tapping <b>WITNESS</b> within the ellipsis at the top right.</i></p>	
<p>2.</p> <ol style="list-style-type: none"> <li>1) Hand the device to the <b>Witness / 2nd Nurse</b></li> <li>2) Witness will name search and select their name</li> <li>3) The medication details will display. – review details</li> <li>4) Select <b>Review</b></li> </ol>	
<p>3.</p> <ol style="list-style-type: none"> <li>1) The <b>witness</b> will be prompted to enter their password.</li> <li>2) <b>Select Sign</b> to complete</li> </ol>	

## Filtered Medication

4.
  - 1) If the drug scanned is not an exact match to the order, or it matches a multiple task then **Filtered Medications** view is displayed.
  - 2) Additional ingredients or meds can be scanned to correct the dosage or select the checkbox to associate the scan with the correct order.



Nursing

MONTALBO, MARIANNE  
22 years F DOB: Aug 15, 2000 MRN: 00025717  
FIN NBR: 000441682  
BW 7W Room 766 Bed 2

Medications

← **Filtered Medications**

Choose an activity or scan additional medications to continue.

morphine  
2 mg = 1 mL


Underdose

morphine  
4 mg = 1 mL IV Push q2hr PRN pain-severe  
Last Given: Not given within 8 days  
**Witness Required**

Apply Cancel

## Marking Medication Not Given

5.
  - 1) Medications can be charted as 'Not Given' (after selecting the med to administer).
  - 2) Scan the medication
  - 3) Click on **Next**
  - 4) Select **Continue** (from Pharmacy Verification screen)
  - 5) Select the 3 dots (Ellipses)
  - 6) Select **Not Given**
  - 7) You are required to enter a reason.
  - 8) Click **Apply**



Nursing

MONTALBO, MARIANNE  
22 years F DOB: Aug 15, 2000 MRN: 00025717  
FIN NBR: 000441682  
BW 7W Room 766 Bed 2

Medications

← Not Given

\* Required fields are marked with an asterisk.

\* Reason  
Patient refused

Comments

lisinopril  
10 mg Oral Daily  
Overdue by more than 4 hours  
Last Given: Today Aug 9 08:49

Apply (1) Cancel

## Continuous Infusion 'Begin Bag'


6.
  - 1) Scan the Continuous Infusion Medication
  - 2) Tap **next**
  - 3) Note Pharmacy Verification
  - 4) Select Continue
  - 5) Scan patient

Complete Required Fields for Administration:

  - 6) Tap on **Medication**.

Scroll:


  - 7) Select **Site**
  - 8) Add Diluent (if required)
  - 9) Tap **Save**.



## Signing out

7. When you have finished your shift, always remember to Logout.
- To Sign out of the device swipe down from the top of the screen.
- Select the **Account** icon.
- Then select **Sign out**.

**Take Note**  
*You only have to logout of the Connect Messenger and Single-sign-on will log you out of the other apps.*



\*\*\*End\*\*\*