

Thursday 10 April 2025

Request under Freedom of Information Act 2000

Thank you for your request for information which we received on Thursday 27 March 2025. I am pleased to confirm the following.

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.3ppm but less than or equal to 0.4ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.4ppm but less than or equal to 0.5ppm in the Trust's Histopathology Department?

1*

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.5ppm but less than or equal to 0.6ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.6ppm but less than or equal to 0.7ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.7ppm but less than or equal to 0.8ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.8ppm but less than or equal to 0.9ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 0.9ppm but less than or equal to 1ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 1ppm but less than or equal to 1.5ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that are greater than 1.5ppm but less than or equal to 2ppm in the Trust's Histopathology Department?

0

In the past 12 months, on how many separate occasions have formaldehyde levels been recorded that exceed 2ppm in the Trust's Histopathology Department?

0

***One occasion where the reading was 0.5ppm taken in the department's storeroom not laboratory. This was due to a leaky/not fully closed pot received in a delivery.**

If you are unhappy with the information received in response to this request, please address your complaint to the Patient Affairs Office at Milton Keynes Hospital NHS Foundation Trust, Standing Way, Eaglestone, Milton Keynes MK6 5LD. If, after exhausting our internal process, you are still unhappy with the information received, you may write to the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

If you need any further assistance, please do not hesitate to contact us at the address above.

Yours sincerely

Freedom of Information Team Lead
For and on behalf of Milton Keynes Hospital NHS Foundation Trust

Any re-use of this information will be subject to the
'Re-use of Public Sector Information Regulations' and best practice.



TheMKWay



**Milton Keynes
University Hospital**
NHS Foundation Trust