



Standing Way Eaglestone Milton Keynes MK6 5LD 01908 660033 www.mkuh.nhs.uk

11th December 2024

## Request under Freedom of Information Act 2000

Thank you for your request for information which we received on Tuesday 26<sup>th</sup> November 2024. I am pleased to confirm the following.

### How many doses of each of the following strengths of Meropenem do you administer annually?

- **500mg** 1,405
- **1 gram** 14,350
- 2 grams 0 Vials

### What are the main areas of your hospital where Meropenem is used?

Cancer Wards Respiratory Ward ICU

### What are the main conditions you use Meropenem to treat?

Meropenem is in the trust antimicrobial guidelines (adult and paeds) to treat:

- Adult Sepsis- in penicillin allergic patients (non anaphylaxis) including neutropenic sepsis or where gentamicin is not appropriate
- Adult Sepsis in patients with a confirmed or suspected ESBL
- Adult Typhoid-if travel history to Pakistan present as drug resistant typhoid is common in this area
- Adult Infected acute pancreatitis including in penicillin allergy (non-anaphylaxis)
- Adult Necrotising fasciitis

•

- Adult Meningitis in penicillin allergy (non anaphylaxis)
  - Adult and Paediatric brain abscess- including in penicillin allergy (non anaphylaxis)
  - Meningitis in paediatrics >3 months of age with penicillin allergy (non anaphylaxis)

# How do you currently administer Meropenem via bolus or infusion? If you infuse, do you use gravity or pump sets?





We administer according to MEDUSA guidelines. Generally, this would be via IV bolus injection. If infusion was required this would generally be done with a pump.

IV injection: Give slowly over 5 minutes.

Short IV infusion (preferred for doses over 1g): Give over 15 to 30 minutes. Doses higher than 1g may be given by IV injection but there are limited data to support this practice.

Where is your Meropenem currently reconstituted (e.g., wards or aseptic units)?

On the wards.

Do you face any challenges when administering Meropenem?

No

Do you frequently experience drug shortages of Meropenem?

No

How many medication errors do you experience per month when administering Meropenem?

0

Please be advised that this information is provided in accordance with the Freedom of Information Act 2000 and is for your personal use. Any re-use of this information will be subject to copyright and the Re-Use of Public Sector Information Regulations (1st July 05) and authorisation from Milton Keynes Hospital NHS Foundation Trust will be required. In the event of any re-use, the information must be reproduced accurately and not used in a misleading manner.

If you are unhappy with the information received in response to this request, please address your complaint to the Patient Affairs Office at Milton Keynes Hospital NHS Foundation Trust, Standing Way, Eaglestone, Milton Keynes MK6 5LD If, after exhausting our internal process, you are still unhappy with the information received, you may write to the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

If you need any further assistance, please do not hesitate to contact us at the address above.

Yours sincerely

Information Governance Administrator





For and on behalf of Milton Keynes Hospital NHS Foundation Trust

Any re-use of this information will be subject to the 'Re-use of Public Sector Information Regulations' and best practice.

As a teaching hospital, we conduct education and research to improve healthcare for our patients. During your visit students may be involved in your care, or you may be asked to participate in a clinical trial. Please speak to your doctor or nurse if you have any concerns.