Management of Suspected Renal Colic Out of Hours (OOH)

The questions below assume an adult patient who is not pregnant and referred to the OOH team.

Out-Of-Hours is defined as between 1700-0800 in weeknights and from 1700 Friday-0800 Monday at the weekend. Bank Holidays are included in OOH.

Please complete this form electronically and return to jack.houlton1@nhs.net. Many thanks for your time.

1. Please complete the following information about	ourself:			
What is the name of the Hospital that you work in?	MKUH .			
What is your job title/current role?	Consultant u	nological	Surgen	7 •
Do you assess suspected renal colic referrals OOH?	Yes 🗗	No 🗀	v	
2. Diagnostic Imaging:				
What is your investigation for suspected renal colic?	CTKUB 🗹	USSKUB □	IVU [
Is diagnostic imaging always offered within 24 hours of presentation?	Yes 🗹	No □		
Is dipstick haematuria mandatory prior to requesting in-hours imaging?	Yes □	No		
Is dipstick haematuria mandatory prior to requesting OOH imaging?	Yes □	No 🗹		
Does your hospital provide an imaging service for OOH straightforward suspected renal colic if the patient does not meet criteria for admission?	Yes ☑	No □		
Which clinician is responsible for arranging OOH imaging for suspected renal colic? (please select all who apply)	F1 A&E Urology Gen Surg	/F2/SHO R	egistrar	Consultant □ □
	Other (please sp	ecify):		
Who is the on-call point-of-contact for arranging OOH imaging?	Radiologist □ Other (please sp	Urologist ⊡∕ ecify):	Radio	ographer □

3. OOH Imaging Reports

Who reports on OOH imaging?	A&E Urology Radiology Not reported OOH	Registrar Consultant	
	Other (please spe	cify):	
When are images reported?		Same Night Next Working Day	
	On-Site Radiologist		
	Off-Site/ Outsourced		
	Radiologist		
	Other (please specify):		
Do patients get admitted to the ward before imaging is formally reported?	Yes	No □	
If so, who is formally responsible for their care?	A&E □	Urology ☑ Gen Surg ☑	
If imaging is not done OOH and patients are sent home with analgesia, who follows-up these patients?	A&E □	Urology ☑ Gen Surg □	
	GP □		
	Other (please specify):		
4. Pain Management & Alpha-Blockers			
Do you offer non-steroidal anti-inflammatory drugs (NSAID's) as first-line pain management?	Yes 🗹	No □	
Do you offer intravenous paracetamol in suspected renal colic if NSAID's are contraindicated or not sufficient pain relief?	Yes □	No 🖭	
Do you offer opiate analgesia if the above options are not sufficient?	Yes 🗹	No □	
Do you offer alpha-blocker therapy for patients with distal ureteric stones less than 10mm?	Yes 🗹	No □	

5. Do you have any additional comments?
None.
Thank you very much for your time in completing this questionnaire. Your answers will help identify areas of
improvement in the management of suspected renal colic. Please return to jack.houlton1@nhs.net . Kind regards,
Dr Jack Houlton, CT1 Urology North Devon District Hospital