

14 May 2025

Request under Freedom of Information Act 2000

Thank you for your request for information which we received on Thursday 8 May 2025. I am pleased to confirm the following.

What system is used to store image files (i.e. records which have been scanned and digitised)?

EDM provided by CCube

The current total amount of data stored in the system. Please provide this in terabytes (TB).

16TB

The volume of data added to the system annually for the past two years (2022/23 and 2023/24), with figures in TB.

Unable to obtain this information in TB

The hosting environment used for the system (e.g. on-premise, local cloud, or external private cloud).

Local cloud

The total amount of data that has been deleted from the system since its initial implementation, also in terabytes.

No data has been deleted from the system

Please be advised that this information is provided in accordance with the Freedom of Information Act 2000 and is for your personal use. Any re-use of this information will be subject to copyright and the Re-Use of Public Sector Information Regulations (1st July 05) and authorisation from Milton Keynes Hospital NHS Foundation Trust will be required. In the event of any re-use, the information must be reproduced accurately and not used in a misleading manner.

If you are unhappy with the information received in response to this request, please address your complaint to the Patient Affairs Office at Milton Keynes Hospital NHS Foundation Trust, Standing Way, Eaglestone, Milton Keynes MK6 5LD. If, after exhausting our internal process, you are still unhappy with the information received, you may write to the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

If you need any further assistance, please do not hesitate to contact us at the address above.

Yours sincerely

Information Governance Administrator
For and on behalf of Milton Keynes Hospital NHS Foundation Trust

Any re-use of this information will be subject to the
'Re-use of Public Sector Information Regulations' and best practice.