

***Request under Freedom of Information Act 2000***

Thank you for your request for information which we received on 21 April 2022.

I am pleased to confirm the following.

**1. Please state what software/ systems the Trust utilises for managing medical equipment/ devices in order to be compliant with MHRA Guidance (see URL below) from the list below. If not listed, please specify:**

**EMAT**

**F2**

**RAM**

**e-Quip**

**Other - please specify**

MKUH is currently using the FM first database however moving over to the E-quip database.

**2. Please state the name and contact for the person responsible for ensuring compliance with the MHRA guidance quoted above.**

The Medical Devices Manager is managing the database working with the Medical Equipment Management team onsite.

You are advised that this information is provided in accordance with the Freedom of Information Act 2000 and is for your personal use. Any re-use of this information will be subject to copyright and the Re-Use of Public Sector Information Regulations (1st July 05) and authorisation from Milton Keynes Hospital NHS Foundation Trust will be required. In the event of any re-use, the information must be reproduced accurately and not used in a misleading manner.

If you are unhappy with the information received in response to this request, please address your complaint to the Patient Affairs Office at Milton Keynes Hospital NHS Foundation Trust, Standing

Way, Eaglestone, Milton Keynes MK6 5LD If, after exhausting our internal process, you are still unhappy with the information received, you may write to the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

If you need any further assistance, please do not hesitate to contact us at the address above.

Yours sincerely,

Freedom of Information Co-ordinator  
For and on behalf of Milton Keynes Hospital NHS Foundation Trust

Any re-use of this information will be subject to the  
'Re-use of Public Sector Information Regulations' and best practice.