

Request under Freedom of Information Act 2000

Thank you for your request for information which we received on Tuesday 3rd October 2023. I am pleased to confirm the following.

NICE recommends NHS collects real-world evidence on devices that monitor people with Parkinson's disease. <https://www.nice.org.uk/news/nice-conditionally-recommends-five-promising-technologies-for-people-wi...>

Has your Trust purchased any of the following devices reviewed by NICE between the 1st of January 2020 and the 31st of August 2023.

- **The Personal KinetiGraph (PKG) Movement Recording System (Global Kinetics Corporation)**
- **STAT-ON (Sense4care)**
- **Kinesia 360 (Great Lakes Neurotechnologies)**
- **KinesiaU (Great Lakes Neurotechnologies)**
- **PDMonitor (PD Neurotechnology)**

MKUH hasn't procured any of the devices on the above list.

Please be advised that this information is provided in accordance with the Freedom of Information Act 2000 and is for your personal use. Any re-use of this information will be subject to copyright and the Re-Use of Public Sector Information Regulations (1st July 05) and authorisation from Milton Keynes Hospital NHS Foundation Trust will be required. In the event of any re-use, the information must be reproduced accurately and not used in a misleading manner.

If you are unhappy with the information received in response to this request, please address your complaint to the Patient Affairs Office at Milton Keynes Hospital NHS Foundation Trust, Standing Way, Eaglestone, Milton Keynes MK6 5LD. If, after exhausting our internal process, you are still unhappy with the information received, you may write to the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF.

If you need any further assistance, please do not hesitate to contact us at the address above.

Yours sincerely,

Freedom of Information Co-ordinator
For and on behalf of Milton Keynes Hospital NHS Foundation Trust

Any re-use of this information will be subject to the
'Re-use of Public Sector Information Regulations' and best practice.